

2/48




Fig. 2A




Fig. 2B

1052638.01.1802

3/48




Fig. 3

1052633-01802

4/48




Fig. 4




Fig. 5A

2025-10-10 10:33:25

6/48




Fig. 5B

7/48




Fig. 6

8/48




Fig. 6A




Fig. 6B




Fig. 6C

9/48




Fig. 6D




Fig. 6E






Fig. 6F

2017-01-18 10:56:38

10/48



11/48




Fig. 8

12/48




Fig. 9




Fig. 10




Fig. 10A




Fig. 10B

20081013225001

13/48




Fig. 11




Fig. 11A

208110-88925001

14/48





Fig. 12

2025-01-08 08:32:50

15/48




Fig. 13




Fig. 13A




Fig. 13C




Fig. 13B




Fig. 13D







Fig. 14

17/48



18/48




Fig. 17

2025-01-10 09:25:00

19/48




Fig. 18







Fig. 19

10052938.01802
208T0" 8892500T

20/48



20570-832500T
1052658-01450

21/48




Fig. 23

208 FIG. 23 88925001

22/48




Fig. 24

23/48




Fig. 25A




Fig. 25C




Fig. 25B




Fig. 25D

20050510 01:00

24/48




Fig. 26

25/48




Fig. 27

26/48




Fig. 28

27/48




Fig. 29




Fig. 30

2025-01-10 08:25:00

28/48




Fig. 31





Fig. 32



30/48




Fig. 33B





Fig. 34

2052628-011802

32/48






Fig. 36

10052698-011802

34/48





Fig. 37

35/48



36/48
PERFUSION IN NORMAL RAT BRAIN




Fig. 39

CAPILLARIES IN CORE WITHOUT AORTIC LIGATION

37/48




Fig. 40

art a Aortic Occlusion Devices and Methods for
erebra Perfusion Augmentation
VENTOR(S) Barbut
ERIAL NO Docket # 270/236
AGE 38 of 48
p Ma No EV051624433US

38/48

ENUMBRA WITHOUT AORTIC LIGATION




Fig. 41

39/48

IN CORE WITH AORTIC LIGATION




Fig. 42

CAPILLARIES IN PENUMBRA WITH AORTIC LIGATION

40/48




Fig. 43

41/48




Fig. 44A




Fig. 44B




Fig. 44C




Fig. 44D

10052688-011802
208770-88925001

42/48




Fig. 44E




Fig. 44F




Fig. 44G




Fig. 44H

20250301 041802

43/48




Fig. 45A





Fig. 45B

208710 88925001

44/48



45/48




Fig. 47A




Fig. 47B




Fig. 47C





Fig. 47D

208770-8892500T

46/48



47/48




Fig. 48B




Fig. 48C




Fig. 48D

48/48




Fig. 48E




Fig. 48F

20250810 10:55:00